





















 Stone White SR	 Sky Blue SR	 Teal	 Regal Red SR
 Bone White SR	 Regal Blue SR	 Hemlock Green SR	 Brandywine SR ²
 Almond SR	 Electric Blue ★	 Tropical Patina SR	 Colonial Red SR
 Sandstone SR	 Award Blue ★	 Patrina Green SR	 Terra Cotta SR
 Slate Gray SR	 Extra Dark Bronze	 Dark Ivy SR ²	 Silver Metallic SR ★
 Cityscape SR	 Dark Bronze SR ¹	 Sherwood Green SR	 Classic Copper SR ★
 Charcoal Gray SR	 Medium Bronze SR	 Hartford Green	 Champagne Metallic ★
 Sierra Tan SR	 Matte Black SR ¹	 Mansard Brown SR	

★ = Premium Color
 SR = Solar-Reflectant color,
 with KYNAR finish having
 Reflectivity of at least 0.25
 SR¹ = only qualifies in steel
 SR² = only qualifies in aluminum


See availability chart on back for material, color, and finish options.

A separate color card is available for aluminum composite.

Protective film must be removed immediately after installation.

**For a true color
 representation, please
 contact us for actual
 metal sample(s).**

Color Selector



Quality...


Service...

Performance...




Architectural Colors

STANDARD COLORS



REGAL WHITE




BONE WHITE




SURREY BEIGE




SANDSTONE



ALMOND



BUCKSKIN



ASH GRAY



SLATE GRAY



CHARCOAL



MATTE BLACK



MEDIUM BRONZE



DARK BRONZE



PATINA GREEN



EVERGREEN



MANSARD BROWN



COLONIAL RED



ROMAN BLUE



PATRICIAN BRONZE



TERRA COTTA

ALL COLORS ARE ENERGY STAR COMPLIANT






Architectural Colors

DEEP-TONE PREMIUM COLORS

ADDITIONAL COST WILL APPLY.



REGAL BLUE



BRITE RED



HARTFORD GREEN



BRANDYWINE

* Colors are representative of colors offered and are not intended for matching purposes. Before placing an order, please request an actual color sample from McElroy Metal.

COLOR	*INVENTORY				
	Sunnyvale, Texas	Clinton, Illinois	Peachtree City, Georgia	Adelanto, California	Houston, Texas
Almond	✓	✓			
Ash Gray	✓	✓	✓	✓	✓
Bone White	✓	✓	✓	✓	✓
Brandywine	✓	✓	✓		✓
Brite Red	✓	✓	✓	✓	✓
Buckskin	✓	✓			✓
Champagne Metallic	✓				✓
Charcoal	✓	✓	✓	✓	✓
Colonial Red	✓	✓	✓	✓	✓
Copper Penny Metallic	✓	✓	✓	✓	✓
Dark Bronze	✓	✓	✓	✓	✓
Evergreen	✓	✓	✓	✓	✓
Hartford Green	✓	✓	✓	✓	✓
Leadcoat	✓				✓
Mansard Brown	✓	✓	✓	✓	✓
Matte Black	✓	✓	✓	✓	✓
Medium Bronze	✓	✓	✓	✓	✓
Patina Green	✓	✓	✓	✓	✓
Patrician Bronze	✓	✓	✓	✓	✓
Prewriteathered Galvalume	✓				✓
Regal Blue	✓	✓	✓	✓	✓
Regal White	✓	✓	✓	✓	✓
Roman Blue	✓	✓	✓	✓	✓
Sandstone	✓	✓	✓	✓	✓
Silver Metallic		✓	✓		
Slate Gray	✓	✓	✓	✓	✓
Surrey Beige		✓	✓	✓	✓
Terra Cotta	✓	✓			✓
Texas Silver Metallic	✓				✓

* Inventory shown is 24 gauge Galvalume Master Coil. Other gauges and substrates are available and inventory varies by location. Please inquire for specific inventory availability and freight rates.

METALLIC COLORS

ADDITIONAL COST WILL APPLY.



PREWEATHERED GALVALUME



LEADCOAT



SILVER METALLIC



COPPER PENNY METALLIC




TEXAS SILVER METALLIC



CHAMPAGNE METALLIC



ALL COLORS ARE ENERGY STAR COMPLIANT



Architectural Colors

Paint Specifications

COLOR	REFLECTANCE	EMISSIVITY	SRI
ALMOND	0.60	0.84	70
ASH GRAY	0.39	0.84	41
BONE WHITE	0.71	0.85	86
BRANDYWINE	0.26	0.85	24
BRITE RED	0.42	0.84	45
BUCKSKIN	0.38	0.86	41
CHAMPAGNE METALLIC	0.38	0.80	38
CHARCOAL	0.32	0.85	32
COLONIAL RED	0.33	0.85	34
COPPER PENNY	0.49	0.85	55
DARK BRONZE	0.26	0.84	24
EVERGREEN	0.26	0.84	24
*GALVALUME PLUS	0.69	0.25	65
HARTFORD GREEN	0.25	0.85	23
LEADCOAT	0.37	0.82	38
MANSARD BROWN	0.30	0.85	30
MATTE BLACK	0.27	0.86	26
MEDIUM BRONZE	0.30	0.87	31
PATINA GREEN	0.46	0.85	51
PATRICIAN BRONZE	0.27	0.86	26
PREWEATHERED GALVALUME	0.30	0.79	27
REGAL BLUE	0.26	0.85	24
REGAL WHITE	0.68	0.86	82
ROMAN BLUE	0.26	0.85	24
SANDSTONE	0.54	0.86	63
SILVER METALLIC	0.57	0.78	64
SLATE GRAY	0.43	0.85	47
SURREY BEIGE	0.40	0.86	43
TERRA COTTA	0.35	0.85	36
TEXAS SILVER METALLIC	0.58	0.78	66

*Bare Acrylic Coated Galvalume

Notes:

- Solar Reflectance is a measure of the amount of solar energy that is immediately reflected from the surface.
- Solar Emissivity is the ability of a material to emit the residual heat back into the surrounding atmosphere.
- The Solar Reflectance Index (SRI) is a measure of the roof's ability to reject solar heat, considering reflectance, emissivity and convection across the surface.

General Notes:

- Inventory and color offering can change without notice. Please contact your McElroy representative to confirm availability.
- Other widths and gauges are available on some items.
- Galvalume® is McElroy's standard substrate. G90 is available upon request.
- McElroy Metal features Fluorpon® PVDF coatings on all products.
- Fluorpon is manufactured by Valspar Corporation.



CORPORATE OFFICE

1500 HAMILTON RD. • BOSSIER CITY, LA 71111

For more information:

800-562-3576

Website: www.mcelroymetal.com
E-mail: info@mcelroymetal.com



\$ FOREST GREEN



\$ HARTFORD GREEN



▲ ★ \$ MILITARY BLUE




★ \$ BERKSHIRE BLUE



▲ ★ \$ SLATE BLUE



\$ AWARD BLUE



\$ AGED BRONZE



▲ ★ \$ MEDIUM BRONZE




▲ ★ \$ CARDINAL RED




▲ ★ \$ COLONIAL RED




▲ ★ \$ SANDSTONE



▲ ★ \$ ALMOND




▲ ★ \$ STONE WHITE



▲ ★ \$ BONE WHITE

Color Guide

Premium Colors

 ●👑\$\$\$	 ●👑\$\$\$
 ●▲★👑\$\$\$	 ●▲★👑\$\$\$
 ●▲★👑\$\$\$	 ●▲★👑\$\$\$
 ●▲★👑\$\$\$	 ●▲★👑\$\$\$
 👑\$\$\$	 👑\$\$\$

Kynar 500® or Hylar 5000® pre-finished steel and aluminum
for roofing, curtainwall and storefront applications.



● PAC-CLAD Metallic Colors










★ ENERGY STAR® Colors

▲ PAC-CLAD Cool Colors

👑 Premium Colors

See back for color availability chart.

Standard Colors

 ▲★\$	 ▲★\$	 ▲★\$	 \$	 \$
 ▲★\$	 ▲★\$	 ▲★\$	 ▲★\$	 ★\$
 \$	 ▲★\$	 \$	 ▲★\$	 \$
 \$	 ▲★\$	 \$	 \$	 ▲★\$
 ▲★\$	 \$	 ▲★\$	 ▲★\$	 ▲★\$
 \$	 ▲★\$	 ▲★\$	 ▲★\$	 ▲★\$
 ▲★\$	 ▲★\$	 ▲★\$	 ▲★\$	 ▲★\$



PAC-CLAD®
P E T E R S E N

PAC-CLAD.COM TX: 800 441 8661 MD: 800 344 1400
HQ: 800 PAC CLAD GA: 800 272 4482 MN: 877 571 2025

NOTE: Colors above are not exact representations of actual PAC-CLAD colors. Ask a PAC representative for a color-chip chart or painted metal samples before making final color selection.

PAC-CLAD® Color Availability

PAC-CLAD STANDARD COLORS	REFLECTIVITY	EMISSION	3 YEAR EXPOSURE	SRI	STEEL		ALUMINUM				ENERGY STAR
					24 GA.	22 GA.	.032	.040	.050	.063	
AGED BRONZE	0.29	0.86		29	✓						
ALMOND	0.53	0.87	0.52	62	✓	✓	✓	✓	✓		★
ARCADIA GREEN	0.31	0.88	0.32	32	✓		✓				★
AWARD BLUE					✓		✓		✓		
BERKSHIRE BLUE*	0.26	0.87	0.25	25	✓						★
BONE WHITE	0.67	0.86	0.64	81	✓	✓	✓	✓	✓	✓	★
BURGUNDY					✓		✓		✓		
BURNISHED SLATE	0.32	0.86		33	✓						
CARDINAL RED	0.37	0.86	0.36	39	✓		✓		✓		★
CHARCOAL	0.27	0.87	0.27	27	✓		✓		✓		★
CITYSCAPE	0.44	0.86	0.43	49	✓	✓	✓	✓	✓		★
COLONIAL RED	0.32	0.88	0.32	34	✓		✓	✓	✓		★
DARK BRONZE	0.26	0.85	0.24	24	✓	✓	✓	✓	✓	✓	★
EVERGREEN	0.27	0.86	0.25	26	✓		✓				★
FOREST GREEN					✓	✓	✓	✓	✓		
GRANITE*	0.32	0.87	0.33	33	✓	✓	✓	✓	✓		★
GRAPHITE	0.29	0.86		29	✓						
HARTFORD GREEN	0.29	0.86	0.30	29	✓		✓	✓	✓		
HEMLOCK GREEN	0.29	0.86	0.30	29	✓		✓		✓		★
HUNTER GREEN	0.27	0.86	0.26	26	✓		✓				★
INTERSTATE BLUE					✓		✓		✓		
MANSARD BROWN	0.29	0.86	0.27	29	✓	✓	✓	✓	✓		★
MATTE BLACK					✓		✓	✓	✓	✓	
MEDIUM BRONZE	0.26	0.88	0.25	26	✓	✓	✓	✓	✓	✓	★
MIDNIGHT BRONZE	0.06	0.88		0	✓			✓			
MILITARY BLUE	0.29	0.87	0.28	29	✓		✓				★
MUSKET GRAY	0.31	0.87	0.30	32	✓	✓	✓		✓		★
PATINA GREEN	0.33	0.86	0.32	34	✓		✓				★
SANDSTONE	0.49	0.87	0.49	56	✓	✓	✓	✓	✓	✓	★
SIERRA TAN	0.36	0.87	0.36	39	✓	✓	✓	✓	✓		★
SLATE BLUE	0.25	0.87	0.24	24	✓		✓				★
SLATE GRAY	0.37	0.88	0.36	40	✓	✓	✓	✓	✓		★
STONE WHITE	0.64	0.87	0.61	77	✓	✓	✓	✓	✓	✓	★
TEAL	0.26	0.87	0.26	25	✓		✓				★
TERRA COTTA	0.36	0.88	0.35	39	✓		✓		✓		★
PAC-CLAD PREMIUM COLORS											
AGED COPPER	0.26	0.87	0.25	25	✓		✓		✓		★
ANODIC CLEAR	0.54	0.81		61				✓			
CHAMPAGNE	0.40	0.82	0.36	42	✓		✓	✓	✓		★
COPPER PENNY	0.47	0.87	0.44	53	✓		✓	✓	✓		★
SILVER	0.49	0.81	0.46	54	✓	✓	✓	✓	✓		★
SILVERSMITH	0.53	0.81		60				✓			
WEATHERED COPPER					✓						
WEATHERED STEEL					✓						
WEATHERED ZINC	0.26	0.82	0.23	23	✓	✓	✓		✓		★
ZINC	0.33	0.88	0.32	35	✓		✓	✓	✓		★
CLEAR-COAT ACRYLIC FINISH (NON-KYNAR)											
GALVALUME PLUS	0.68	0.14	0.55	57	✓	✓					★

PAC-CLAD Metallic finishes are available from stock at a moderate extra cost. PAC-CLAD Copper Penny is a Non-Weathering finish. Solar Reflectance Index calculated according to ASTM E-1980.

*Low Gloss/Low Sheen, full 70% PVDF finish

ENERGY STAR PERFORMANCE CRITERIA:

Emission uses ASTM C1371 Reflectivity uses ASTM C1549.

TECHNICAL DATA FOR KYNAR 500/HYLAR 5000 COATING:

- ▶ South Florida Exposure: Color (ASTM D 2244) - No more than 5ΔE Hunter units at 20 years; Chalk (ASTM D 4214) - Rating no less than 8 at 20 years; Film integrity - 20 years.
- ▶ Accelerated Weathering (ASTM D 4587, ASTM G 154): 5000 Hours, QUV-A, 340 NM Bulb - Chalk, per ASTM D 4214, rating of 6 or better; Color, per ASTM D 2244, < 5ΔE (Hunter Units) color change.


- ▶ Humidity Resistance (ASTM D 2247): Galvalume or HDG, 100% RH, 2000 hours - No field blisters; Aluminum, 100% RH, 3000 hours - No field blisters
- ▶ Salt Spray Resistance (ASTM B 117): Aluminum, 3000 hours, Galvalume or HDG, 1000 hours - Creep from scribe no more than 1/16", no field blisters
- ▶ Chemical/Acid Pollution Resistance (ASTM D 1308): Pass
- ▶ T-Bend (ASTM D 4145): 1T - 3T with no loss of adhesion
- ▶ Pencil hardness (ASTM D 3363): HB - 2B
- ▶ Specular Gloss (ASTM D 523) @ 60 degrees: Typical - 20 - 35

- ▶ Abrasion Resistance (ASTM D 968): 80 +/- 10 liters
- ▶ Cross Hatch Adhesion (ASTM D 3359): No loss of adhesion
- ▶ Reverse Impact (ASTM D 2794): Galvalume or HDG, 2x metal thickness inch-pounds, no loss of adhesion; Aluminum, 1.5x metal thickness inch-pounds, no loss of adhesion
- ▶ Flame Test (ASTM E 84): Class A Coating
- ▶ Water Immersion (ASTM D 870): 500 hours, 100 degrees, no loss of adhesion

METAL ROOFING AND PERIMETER EDGE FINISHES




BONE WHITE SR.66




REGAL WHITE SR.65



SANDSTONE SR.49



DREXLUME™ *M*



ALMOND SR.54



SIERRA TAN SR.29



BUCKSKIN SR.38



CHAMPAGNE SR.35
premium



MEDIUM BRONZE SR.30



MANSARD BROWN SR.27



DARK BRONZE SR.29



METALLIC COPPER SR.42
premium



BURGUNDY SR.33



COLONIAL RED SR.33



TERRA COTTA SR.41



BRILLIANCE RED SR.41
premium



HARTFORD GREEN SR.27



FOREST GREEN SR.30



HEMLOCK SR.28



PREWEATHERED GALVALUME® SR.35
premium



PATINA GREEN SR.36



AGED COPPER SR.45



TEAL BLUE SR.29



BRIGHT SILVER SR.53
premium



DEEP BLUE SEA SR. 29



PACIFIC BLUE SR.29



SLATE BLUE SR.32



DOVE GRAY SR.31



MATTE BLACK SR.30



CHARCOAL GRAY SR.27



SLATE GRAY SR.37

M = MILL FINISH

SR = SOLAR REFLECTANCE