


Color Selector



Quality...


Service...

Performance...




Architectural Colors

STANDARD COLORS



REGAL WHITE




BONE WHITE




SURREY BEIGE




SANDSTONE



ALMOND



BUCKSKIN



ASH GRAY



SLATE GRAY



CHARCOAL



MATTE BLACK



MEDIUM BRONZE



DARK BRONZE



PATINA GREEN



EVERGREEN



MANSARD BROWN



COLONIAL RED



ROMAN BLUE



PATRICIAN BRONZE



TERRA COTTA

ALL COLORS ARE ENERGY STAR COMPLIANT






Architectural Colors

DEEP-TONE PREMIUM COLORS

ADDITIONAL COST WILL APPLY.



REGAL BLUE



BRITE RED



HARTFORD GREEN



BRANDYWINE

* Colors are representative of colors offered and are not intended for matching purposes. Before placing an order, please request an actual color sample from McElroy Metal.

COLOR	*INVENTORY				
	Sunnyvale, Texas	Clinton, Illinois	Peachtree City, Georgia	Adelanto, California	Houston, Texas
Almond	✓	✓			
Ash Gray	✓	✓	✓	✓	✓
Bone White	✓	✓	✓	✓	✓
Brandywine	✓	✓	✓		✓
Brite Red	✓	✓	✓	✓	✓
Buckskin	✓	✓			✓
Champagne Metallic	✓				✓
Charcoal	✓	✓	✓	✓	✓
Colonial Red	✓	✓	✓	✓	✓
Copper Penny Metallic	✓	✓	✓	✓	✓
Dark Bronze	✓	✓	✓	✓	✓
Evergreen	✓	✓	✓	✓	✓
Hartford Green	✓	✓	✓	✓	✓
Leadcoat	✓				✓
Mansard Brown	✓	✓	✓	✓	✓
Matte Black	✓	✓	✓	✓	✓
Medium Bronze	✓	✓	✓	✓	✓
Patina Green	✓	✓	✓	✓	✓
Patrician Bronze	✓	✓	✓	✓	✓
Prewriteathered Galvalume	✓				✓
Regal Blue	✓	✓	✓	✓	✓
Regal White	✓	✓	✓	✓	✓
Roman Blue	✓	✓	✓	✓	✓
Sandstone	✓	✓	✓	✓	✓
Silver Metallic		✓	✓		
Slate Gray	✓	✓	✓	✓	✓
Surrey Beige		✓	✓	✓	✓
Terra Cotta	✓	✓			✓
Texas Silver Metallic	✓				✓

* Inventory shown is 24 gauge Galvalume Master Coil. Other gauges and substrates are available and inventory varies by location. Please inquire for specific inventory availability and freight rates.

METALLIC COLORS

ADDITIONAL COST WILL APPLY.



PREWEATHERED GALVALUME



LEADCOAT



SILVER METALLIC



COPPER PENNY METALLIC




TEXAS SILVER METALLIC



CHAMPAGNE METALLIC



ALL COLORS ARE ENERGY STAR COMPLIANT



Architectural Colors

Paint Specifications

COLOR	REFLECTANCE	EMISSIVITY	SRI
ALMOND	0.60	0.84	70
ASH GRAY	0.39	0.84	41
BONE WHITE	0.71	0.85	86
BRANDYWINE	0.26	0.85	24
BRITE RED	0.42	0.84	45
BUCKSKIN	0.38	0.86	41
CHAMPAGNE METALLIC	0.38	0.80	38
CHARCOAL	0.32	0.85	32
COLONIAL RED	0.33	0.85	34
COPPER PENNY	0.49	0.85	55
DARK BRONZE	0.26	0.84	24
EVERGREEN	0.26	0.84	24
*GALVALUME PLUS	0.69	0.25	65
HARTFORD GREEN	0.25	0.85	23
LEADCOAT	0.37	0.82	38
MANSARD BROWN	0.30	0.85	30
MATTE BLACK	0.27	0.86	26
MEDIUM BRONZE	0.30	0.87	31
PATINA GREEN	0.46	0.85	51
PATRICIAN BRONZE	0.27	0.86	26
PREWEATHERED GALVALUME	0.30	0.79	27
REGAL BLUE	0.26	0.85	24
REGAL WHITE	0.68	0.86	82
ROMAN BLUE	0.26	0.85	24
SANDSTONE	0.54	0.86	63
SILVER METALLIC	0.57	0.78	64
SLATE GRAY	0.43	0.85	47
SURREY BEIGE	0.40	0.86	43
TERRA COTTA	0.35	0.85	36
TEXAS SILVER METALLIC	0.58	0.78	66

*Bare Acrylic Coated Galvalume

Notes:

- Solar Reflectance is a measure of the amount of solar energy that is immediately reflected from the surface.
- Solar Emissivity is the ability of a material to emit the residual heat back into the surrounding atmosphere.
- The Solar Reflectance Index (SRI) is a measure of the roof's ability to reject solar heat, considering reflectance, emissivity and convection across the surface.

General Notes:

- Inventory and color offering can change without notice. Please contact your McElroy representative to confirm availability.
- Other widths and gauges are available on some items.
- Galvalume® is McElroy's standard substrate. G90 is available upon request.
- McElroy Metal features Fluorpon® PVDF coatings on all products.
- Fluorpon is manufactured by Valspar Corporation.



CORPORATE OFFICE

1500 HAMILTON RD. • BOSSIER CITY, LA 71111

For more information:

800-562-3576

Website: www.mcelroymetal.com
E-mail: info@mcelroymetal.com



Color Guide



\$ FOREST GREEN



\$ HARTFORD GREEN



▲ ★ \$ MILITARY BLUE




★ \$ BERKSHIRE BLUE



▲ ★ \$ SLATE BLUE



\$ AWARD BLUE



\$ AGED BRONZE



▲ ★ \$ MEDIUM BRONZE




▲ ★ \$ CARDINAL RED




▲ ★ \$ COLONIAL RED




▲ ★ \$ SANDSTONE



▲ ★ \$ ALMOND



▲ ★ \$ STONE WHITE



▲ ★ \$ BONE WHITE

Premium Colors

 ●👑\$\$\$ ANODIC CLEAR	 ●👑\$\$\$ SILVERSMITH
 ●▲★👑\$\$\$ SILVER	 ●▲★👑\$\$\$ CHAMPAGNE
 ●▲★👑\$\$\$ ZINC	 ●▲★👑\$\$\$ WEATHERED ZINC
 ●▲★👑\$\$\$ COPPER PENNY	 ●▲★👑\$\$\$ AGED COPPER
 👑\$\$\$ WEATHERED STEEL	 👑\$\$\$ WEATHERED COPPER

Kynar 500® or Hylar 5000® pre-finished steel and aluminum for roofing, curtainwall and storefront applications.



● PAC-CLAD Metallic Colors










★ ENERGY STAR® Colors

▲ PAC-CLAD Cool Colors

👑 Premium Colors

See back for color availability chart.

Standard Colors

 ▲★\$ PATINA GREEN	 ▲★\$ TEAL	 ▲★\$ HEMLOCK GREEN	 \$ FOREST GREEN	 \$ HARTFORD GREEN
 ▲★\$ EVERGREEN	 ▲★\$ HUNTER GREEN	 ▲★\$ ARCADIA GREEN	 ▲★\$ MILITARY BLUE	 ★\$ BERKSHIRE BLUE
 \$ GRAPHITE	 ▲★\$ CHARCOAL	 \$ INTERSTATE BLUE	 ▲★\$ SLATE BLUE	 \$ AWARD BLUE
 \$ MATTE BLACK	 ▲★\$ DARK BRONZE	 \$ BURNISHED SLATE	 \$ AGED BRONZE	 ▲★\$ MEDIUM BRONZE
 ▲★\$ MANSARD BROWN	 \$ BURGUNDY	 ▲★\$ TERRA COTTA	 ▲★\$ CARDINAL RED	 ▲★\$ COLONIAL RED
 \$ MIDNIGHT BRONZE	 ▲★\$ MUSKET GRAY	 ▲★\$ SIERRA TAN	 ▲★\$ SANDSTONE	 ▲★\$ ALMOND
 ▲★\$ SLATE GRAY	 ▲★\$ CITYSCAPE	 ▲★\$ GRANITE	 ▲★\$ STONE WHITE	 ▲★\$ BONE WHITE



PAC-CLAD®
P E T E R S E N

PAC-CLAD.COM TX: 800 441 8661 MD: 800 344 1400
HQ: 800 PAC CLAD GA: 800 272 4482 MN: 877 571 2025

NOTE: Colors above are not exact representations of actual PAC-CLAD colors. Ask a PAC representative for a color-chip chart or painted metal samples before making final color selection.

PAC-CLAD® Color Availability

PAC-CLAD STANDARD COLORS	REFLECTIVITY	EMISSIVITY	3 YEAR EXPOSURE	SRI	STEEL		ALUMINUM				ENERGY STAR
					24 GA.	22 GA.	.032	.040	.050	.063	
AGED BRONZE	0.29	0.86		29	✓						
ALMOND	0.53	0.87	0.52	62	✓	✓	✓	✓	✓		★
ARCADIA GREEN	0.31	0.88	0.32	32	✓		✓				★
AWARD BLUE					✓		✓		✓		
BERKSHIRE BLUE*	0.26	0.87	0.25	25	✓						★
BONE WHITE	0.67	0.86	0.64	81	✓	✓	✓	✓	✓	✓	★
BURGUNDY					✓		✓		✓		
BURNISHED SLATE	0.32	0.86		33	✓						
CARDINAL RED	0.37	0.86	0.36	39	✓		✓		✓		★
CHARCOAL	0.27	0.87	0.27	27	✓		✓		✓		★
CITYSCAPE	0.44	0.86	0.43	49	✓	✓	✓	✓	✓		★
COLONIAL RED	0.32	0.88	0.32	34	✓		✓	✓	✓		★
DARK BRONZE	0.26	0.85	0.24	24	✓	✓	✓	✓	✓	✓	★
EVERGREEN	0.27	0.86	0.25	26	✓		✓				★
FOREST GREEN					✓	✓	✓	✓	✓		
GRANITE*	0.32	0.87	0.33	33	✓	✓	✓	✓	✓		★
GRAPHITE	0.29	0.86		29	✓						
HARTFORD GREEN	0.29	0.86	0.30	29	✓		✓	✓	✓		
HEMLOCK GREEN	0.29	0.86	0.30	29	✓		✓		✓		★
HUNTER GREEN	0.27	0.86	0.26	26	✓		✓				★
INTERSTATE BLUE					✓		✓		✓		
MANSARD BROWN	0.29	0.86	0.27	29	✓	✓	✓	✓	✓		★
MATTE BLACK					✓		✓	✓	✓	✓	
MEDIUM BRONZE	0.26	0.88	0.25	26	✓	✓	✓	✓	✓	✓	★
MIDNIGHT BRONZE	0.06	0.88		0	✓			✓			
MILITARY BLUE	0.29	0.87	0.28	29	✓		✓				★
MUSKET GRAY	0.31	0.87	0.30	32	✓	✓	✓		✓		★
PATINA GREEN	0.33	0.86	0.32	34	✓		✓				★
SANDSTONE	0.49	0.87	0.49	56	✓	✓	✓	✓	✓	✓	★
SIERRA TAN	0.36	0.87	0.36	39	✓	✓	✓	✓	✓		★
SLATE BLUE	0.25	0.87	0.24	24	✓		✓				★
SLATE GRAY	0.37	0.88	0.36	40	✓	✓	✓	✓	✓		★
STONE WHITE	0.64	0.87	0.61	77	✓	✓	✓	✓	✓	✓	★
TEAL	0.26	0.87	0.26	25	✓		✓				★
TERRA COTTA	0.36	0.88	0.35	39	✓		✓		✓		★
PAC-CLAD PREMIUM COLORS											
AGED COPPER	0.26	0.87	0.25	25	✓		✓		✓		★
ANODIC CLEAR	0.54	0.81		61				✓			
CHAMPAGNE	0.40	0.82	0.36	42	✓		✓	✓	✓		★
COPPER PENNY	0.47	0.87	0.44	53	✓		✓	✓	✓		★
SILVER	0.49	0.81	0.46	54	✓	✓	✓	✓	✓		★
SILVERSMITH	0.53	0.81		60				✓			
WEATHERED COPPER					✓						
WEATHERED STEEL					✓						
WEATHERED ZINC	0.26	0.82	0.23	23	✓	✓	✓		✓		★
ZINC	0.33	0.88	0.32	35	✓		✓	✓	✓		★
CLEAR-COAT ACRYLIC FINISH (NON-KYNAR)											
GALVALUME PLUS	0.68	0.14	0.55	57	✓	✓					★

PAC-CLAD Metallic finishes are available from stock at a moderate extra cost. PAC-CLAD Copper Penny is a Non-Weathering finish. Solar Reflectance Index calculated according to ASTM E-1980.

*Low Gloss/Low Sheen, full 70% PVDF finish

ENERGY STAR PERFORMANCE CRITERIA:

Emissivity uses ASTM C1371 Reflectivity uses ASTM C1549.

TECHNICAL DATA FOR KYNAR 500/HYLAR 5000 COATING:

- ▶ South Florida Exposure: Color (ASTM D 2244) - No more than 5ΔE Hunter units at 20 years; Chalk (ASTM D 4214) - Rating no less than 8 at 20 years; Film integrity - 20 years.
- ▶ Accelerated Weathering (ASTM D 4587, ASTM G 154): 5000 Hours, QUV-A, 340 NM Bulb - Chalk, per ASTM D 4214, rating of 6 or better; Color, per ASTM D 2244, < 5ΔE (Hunter Units) color change.

- ▶ Humidity Resistance (ASTM D 2247): Galvalume or HDG, 100% RH, 2000 hours - No field blisters; Aluminum, 100% RH, 3000 hours - No field blisters
- ▶ Salt Spray Resistance (ASTM B 117): Aluminum, 3000 hours, Galvalume or HDG, 1000 hours - Creep from scribe no more than 1/16", no field blisters
- ▶ Chemical/Acid Pollution Resistance (ASTM D 1308): Pass
- ▶ T-Bend (ASTM D 4145): 1T - 3T with no loss of adhesion
- ▶ Pencil hardness (ASTM D 3363): HB - 2B
- ▶ Specular Gloss (ASTM D 523) @ 60 degrees: Typical - 20 - 35

- ▶ Abrasion Resistance (ASTM D 968): 80 +/- 10 liters
- ▶ Cross Hatch Adhesion (ASTM D 3359): No loss of adhesion
- ▶ Reverse Impact (ASTM D 2794): Galvalume or HDG, 2x metal thickness inch-pounds, no loss of adhesion; Aluminum, 1.5x metal thickness inch-pounds, no loss of adhesion
- ▶ Flame Test (ASTM E 84): Class A Coating
- ▶ Water Immersion (ASTM D 870): 500 hours, 100 degrees, no loss of adhesion

LOW GLOSS*



GRANITE



INKWELL



TRADITIONAL BLACK



BERKSHIRE BLUE

⌘



CLASSIC BRONZE




WEATHERED STEEL

⌘ P

*Additional low gloss colors are offered in the Northeast region.

STANDARD



STONE WHITE



BONE WHITE



BUCKSKIN

⌘



MEDIUM BRONZE



AGED BRONZE

⌘



MANSARD BROWN



SLATE GRAY



GRAPHITE



IRON ORE



HEMLOCK GREEN



BURGUNDY

⌘



COLONIAL RED



SANDSTONE



ALMOND

⌘



DARK BRONZE



ANTIQUÉ BRONZE

⌘



BLACK



ONYX


⌘



MUSKET GRAY



BURNISHED SLATE



PATINA GREEN

⌘



FOREST GREEN



TERRA COTTA



CARDINAL RED



PACIFIC BLUE



INTERSTATE BLUE




SIERRA TAN



MIDNIGHT BRONZE



CITYSCAPE



CHARCOAL



HARTFORD GREEN

⌘



MILITARY BLUE

⌘



AWARD BLUE

PREMIUM AND MILL



SILVER

P



SILVERSMITH

P



ANODIC CLEAR

P



WEATHERED ZINC

P



CHAMPAGNE

P



COPPER PENNY

P



DREXLUME™

M

P = PREMIUM

M = MILL FINISH

⌘ = EXTENDED LEAD TIME

WOOD GRAIN



BROWN TIMBER



COPPER TIMBER



TAN TIMBER



GRAY TIMBER



WHITE TIMBER

COLOR COUNTERPARTS



Looking for the same
color with less gloss?

LOW GLOSS

Classic Bronze

Inkwell

Traditional Black

STANDARD GLOSS

Antique Bronze

Iron Ore

Black

Drexel Metals
Roofing Systems + Custom Fabrication
A CARLISLE COMPANY

drexelmetals.com | 888-321-9630